Adamski effect in Ps

Presented by Tomas Hansson

Before and after



Open orignal picture in Ps after first cropping in Lr



1. Right click on Layer and select 'Duplicate layer'

| | | | | | ✓ Stödlinjer | | | | |
|--|-----------------|------------------|--------|----|--------------|----------|-------|-----|---|
| | 6 | | | | Lager | Kanaler | Banor | | ≣ |
| | Duplicera lager | | | × | Q, Typ | | | тцв | • |
| | Duplicera: | Bakgrund | | ОК | | | | | |
| | Som: | Bakgrund kopiera | | | Lås: 👪 | \$ \$ | Þ 6 | | |
| | Mål | | Avbryt | • | Bakgru | nd | ۵ | | |
| | Dokument: | DSC_0127.dng | | | | <u> </u> | | | |
| | Rityta: | Arbetsyta | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |



2. Goto >Filter>Blur>Motion Blur



Play with angle and distance, but recommended is to have 90 degrees for vertical blur! > Click OK

3. Add a mask by clicking left at where the red arrow points



> Press B for Brush and select black color.
Start brushing what you want to be untouched.



Final reveal



4. If you want more stretch? >Select crop tool - Press C







5. >Merge all visible layers by pressing Ctrl+Alt+Shift+E

| Lager Kanaler Banor | | | | | | | |
|-------------------------------|--|--|--|--|--|--|--|
| Стур — 🖾 🖉 Т 🖾 🖺 📍 | | | | | | | |
| Normal ~ Opacitet: 100% ~ | | | | | | | |
| Lås: 🔝 🖌 💠 🏳 🏛 🛛 Fyll: 100% 🗸 | | | | | | | |
| • Lager 1 | | | | | | | |
| • Bakgrund kopiera | | | | | | | |
| • Bakgrund | | | | | | | |
| | | | | | | | |
| | | | | | | | |

6. > Select Mark tool - press 'm' and select the part that you want to extend



7. > Select the Transform tool by pressing Ctrl+T and start to drag up but hold shift

> De-select Ctrl+D



8.Vola and you have the...

...final result!

